

BOM of TIDA-00572 for Intel Pentium N3700 - VCC0+VCC1 rail in 1MHz SW freq

Item	Qty	Reference	Value	Description	Size	Part Number	Manufacturer	Notes	Populate
		C1	10uF	Capacitor, Ceramic, 25V, X7R, 20%	1206	GRM31CR61E106KA12L	Murata		Yes
		C2	10uF	Capacitor, Ceramic, 25V, X7R, 20%	1206	GRM31CR61E106KA12L	Murata		Yes
		C3	10uF	Capacitor, Ceramic, 25V, X7R, 20%	1206	GRM31CR61E106KA12L	Murata		Yes
		C4	10uF	Capacitor, Ceramic, 25V, X7R, 20%	1206	GRM31CR61E106KA12L	Murata		Yes
		C5	10uF	Capacitor, Ceramic, 25V, X7R, 20%	1206	GRM31CR61E106KA12L	Murata		Yes
		C9	1uF	Capacitor, Ceramic, 10V, X7R, 10%	402	STD	STD		Yes
		C16	10uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J106KE19L	Murata		Yes
		C19	10uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J106KE19L	Murata		Yes
		C23	0.01uF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C24	0.1uF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C25	10uF	Capacitor, Ceramic, 10V, X7R, 10%	603	STD	STD		Yes
		C26	0.1uF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C31	560pF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C32	1nF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C33	0.33uF	Capacitor, Ceramic, 10V, X7R, 10%	402	STD	STD		Yes
		C34	1uF	Capacitor, Ceramic, 10V, X7R, 10%	402	STD	STD		Yes
		C35	560pF	Capacitor, Ceramic, 10V, X7R, 10%	402	STD	STD		Yes
		C37	2200pF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C38	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C39	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C40	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C41	47uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C42	47uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C43	0.1uF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C44	2.2 uF	Capacitor, Ceramic, 10V, X7R, 10%	603	STD	STD		Yes
		C47	1nF	Capacitor, Ceramic, 25V, X7R, 10%	402	STD	STD		Yes
		C48	100nF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C54	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C55	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C56	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C57	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C58	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C59	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C60	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C61	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C62	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C63	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C64	1nF	Capacitor, Ceramic, 25V, X7R, 10%	402	STD	STD		Yes
		C65	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C66	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C67	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C68	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C69	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C70	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C71	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C72	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C73	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C74	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C75	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C76	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C78	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C80	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C83	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J226ME39L	Murata		Yes
		C85	220uF	Capacitor, Aluminum, 2V, 6mOhm 10%	7343	EEFSX0D331XR	Panasonic		Yes
		C89	10uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J106KE19L	Murata		Yes
		C91	0.1uF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C93	22uF	Capacitor, Ceramic, 25V, X7R, 10%	603	GRM21BR60J106KE19L	STD		Yes
		C100	22uF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C101	22uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	STD	Murata		Yes
		C112	10uF	Capacitor, Ceramic, 6.3V, X5R, 10%	805	GRM21BR60J106KE19L	Murata		Yes
		C136	1nF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C137	0.1uF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C138	1uF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C139	0.01uF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C142	10pF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C145	10pF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C161	0.1uF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		C162	10pF	Capacitor, Ceramic, 25V, X7R, 10%	603	STD	STD		Yes
		D20	GREEN	Diode, LED, Green Clear, 20mcd	0.079 X 0.049	LTST-C170GKT	Lite On		Yes
		D21	RED	Diode, LED, Red Clear, 20mcd	0.079 X 0.049	LTST-C170CKT	Lite On		Yes
		D23	GREEN	Diode, LED, Green Clear, 20mcd	0.079 X 0.049	LTST-C170GKT	Lite On		Yes
		J1	33457	LUG, Solderless, #10 - #10-12 AWG, Copper/Tin, Uninsulated	0.375 x 1.00 inch	33457	AMP		Yes
		J7	PEC06SAAN	Header, Male 6-pin, 100mil spacing,	0.100 inch x 6	PEC06SAAN	Sullins		Yes
		J8	PEC08DAAN	Header, Male 2x8 pin, 100mil spacing	0.100 inch X2X8	PEC08DAAN	Sullins		Yes
		J9	PTC36SAAN	Header, Male 2-pin, 100mil spacing, (36-pin strip)	0.100 inch x 2	PEC02SAAN	Sullins		Yes
		J10	PTC36SAAN	Header, Male 2-pin, 100mil spacing, (36-pin strip)	0.100 inch x 2	PEC02SAAN	Sullins		Yes
		J11	PTC36SAAN	Header, Male 2-pin, 100mil spacing, (36-pin strip)	0.100 inch x 2	PEC02SAAN	Sullins		Yes
		J13	39299042	Header, ATX 2x2 Vertical with Mounting Pegs	4.2x15 mm	39299042	Phoenix Contact		Yes
		J14	8952-0-05-80-00-00-03-0	Header, Single pin	0.125 x 1 inch	8952-0-05-80-00-00-03-0	Mill-Max		Yes
		J15	8952-0-05-80-00-00-03-0	Header, Single pin	0.125 x 1 inch	8952-0-05-80-00-00-03-0	Mill-Max		Yes

J18	33457	LUG, Solderless, #10 - #10-12 AWG, Copper/Tin, Uninsulated	0.375 x1.00 inch	33457	AMP	Yes
J19	442060007	Header, ATX 2x12 Vertical with Mounting Pegs	9.6x60 mm	442060007	Phoenix Contact	Yes
J20	ED1514	Terminal Block, 2-pin, 6-A, 3.5mm	0.27 x 0.25 inch	ED555/2DS	OST	Yes
J22	PEC08DAAN	Header, Male 2x8 pin, 100mil spacing	0.100 inch X2X8	PEC08DAAN	Sullins	Yes
J24	33457	LUG, Solderless, #10 - #10-12 AWG, Copper/Tin, Uninsulated	0.375 x1.00 inch	33457	AMP	Yes
J25	8952-0-05-80-00-00-03-0	Header, Single pin	0.125 x 1 inch	8952-0-05-80-00-00-03-0	Mill-Max	Yes
J26	8952-0-05-80-00-00-03-0	Header, Single pin	0.125 x 1 inch	8952-0-05-80-00-00-03-0	Mill-Max	Yes
J30	33457	LUG, Solderless, #10 - #10-12 AWG, Copper/Tin, Uninsulated	0.375 x1.00 inch	33457	AMP	Yes
J31	33457	LUG, Solderless, #10 - #10-12 AWG, Copper/Tin, Uninsulated	0.375 x1.00 inch	33457	AMP	Yes
J45	PTC36SAAN	Header, Male 2-pin, 100mil spacing, (36-pin strip)	0.100 inch x 2	PEC02SAAN	Sullins	Yes
J46	PTC36SAAN	Header, Male 2-pin, 100mil spacing, (36-pin strip)	0.100 inch x 2	PEC02SAAN	Sullins	Yes
J50	8952-0-05-80-00-00-03-0	Header, Single pin	0.125 x 1 inch	8952-0-05-80-00-00-03-0	Mill-Max	Yes
L1A	0.67uH/3.6mohm	Inductor, Power choke SMT	9.1 x 8.4mm, height 4	FDV0840-R67M	Toko	Yes
Q1	CSD97374CQ4M	IC, SynchroNous Buck NexFETPower Stage	QFN	CSD97374CQ4M	TI	Yes
Q27	BSS83P	MOSFET, Pch, -60V, -0.33A, 2 Ohm	SOT23	BSS83P	Infineon	Yes
Q30	BSS123	MOSFET, Nch, 100V, 0.17A, 6 Ohm	SOT23	BSS123	Fairchild	Yes
Q32	BSS123	MOSFET, Nch, 100V, 0.17A, 6 Ohm	SOT23	BSS123	Fairchild	Yes
R8	9.37k	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R9	Short	Resistor, Power 1W, 1%,	612	WSK06121L000F	Vishay	Yes
R11	1m	Resistor, Power 1W, 1%,	612	WSK06121L000F	Vishay	Yes
R13	2.61k	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R14	5760K+66.5k	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R15	100K - B4250	Resistor, Chip, 1/16W, 1%	603	ERT-J1VR103H	Panasonic	Yes
R20	634k	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R22	0	Resistor, Chip, 1/16W, 5%	603	STD	STD	Yes
R24	1	Resistor, Chip, 1/10W, 5%	805	STD	STD	Yes
R28	10k	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R29	3.74k	Resistor, Chip, 1/16W, 5%	603	STD	STD	Yes
R36	39k	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R40	2.2	Resistor, Chip, 1/16W, 5%	603	STD	STD	Yes
R47	10k	Resistor, Chip, 1/16W, 1%	402	STD	STD	Yes
R48	10k	Resistor, Chip, 1/16W, 1%	402	STD	STD	Yes
R50	30.1k	Resistor, Chip, 1/16W, 5%	603	STD	Vishay	Yes
R51	30.1k	Resistor, Chip, 1/16W, 5%	603	STD	Vishay	Yes
R58	100R	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R59	0	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R62	0	Resistor, Chip, 1/16W, 1%	402	STD	STD	Yes
R65	100R	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R68	2.26k	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R69	0	Resistor, Chip, 1/16W, 1%	402	STD	STD	Yes
R72	21K	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R73	1k	Resistor, Chip, 1/16W, 1%	402	STD	STD	Yes
R74	1k	Resistor, Chip, 1/16W, 1%	402	STD	STD	Yes
R75	2.94k	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R76	0	Resistor, Chip, 1/16W, 1%	402	STD	STD	Yes
R77	10k	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R89	1	Resistor, Chip, 1/10W, 5%	805	STD	STD	Yes
R90	1	Resistor, Chip, 1/10W, 5%	805	STD	STD	Yes
R106	15.0K	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R108	51K	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R117	100	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R118	3.0k	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R119	10k	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R120	330	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R123	1.0k	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R124	10k	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R125	1	Resistor, Chip, 1/16W, 5%	603	STD	Vishay	Yes
R126	1.0k	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R128	180	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R130	180	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R132	2.0K	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R134	180	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R137	0	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R142	10k	Resistor, Chip, 1/16W, 5%	603	STD	Vishay	Yes
R156	10	Resistor, Chip, 1/16W, 5%	603	STD	Vishay	Yes
R163	10k	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R171	75k	Resistor, Chip, 1/16W, 1%	603	Std	STD	Yes
R186	150k	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R192	30k	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R199	150k	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R219	10k	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R220	100.0K	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R228	3.0k	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R229	1Meg	Resistor, Chip, 1/16W, 1%	402	STD	STD	Yes
R234	100	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R235	56	Resistor, Chip, 1/16W, 1%	603	STD	Vishay	Yes
R237	0	Resistor, Chip, 1/16W, 1%	603	STD	STD	Yes
R239	100	Resistor, Chip, 1/16W, 1%	402	STD	STD	Yes
R240	56	Resistor, Chip, 1/16W, 1%	402	STD	STD	Yes
R254	1Meg	Resistor, Chip, 1/16W, 1%	402	STD	STD	Yes
R255	1Meg	Resistor, Chip, 1/16W, 1%	402	STD	STD	Yes

	R256	0	Resistor, Chip, 1/16W, 1%	402	STD	STD		Yes
	R257	0	Resistor, Chip, 1/16W, 1%	402	STD	STD		Yes
	R269	1Meg	Resistor, Chip, 1/16W, 1%	402	STD	STD		Yes
	R270	1Meg	Resistor, Chip, 1/16W, 1%	402	STD	STD		Yes
	R271	1Meg	Resistor, Chip, 1/16W, 1%	402	STD	STD		Yes
	R273	10k	Resistor, Chip, 1/16W, 1%	402	STD	STD		Yes
	RT4	10k - B3380	NTC Thermistor, 1%	603	STD	Murata		Yes
	RT7	10k	Resistor, Chip, 1/16W, 1%	603	STD	Murata		Yes
	S1	EG1218A	Switch, SPDT, Slide, PC-mount,	0.457 x 0.157 inch	EG1218A	E_Switch		Yes
	S2	EG1218A	Switch, SPDT, Slide, PC-mount,	0.457 x 0.157 inch	EG1218A	E_Switch		Yes
	SH1	SHORT	Short Jumper					Yes
	SH2	SHORT	Short Jumper					Yes
	SH3	SHORT	Short Jumper					Yes
	SH4	SHORT	Short Jumper					Yes
	SH7	SHORT	Short Jumper					Yes
	SH8	SHORT	Short Jumper					Yes
	TP1	VBAT	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone		Yes
	TP2	VREF	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP3	GND	Test Point, Black, Thru Hole Color Keyed	0.100 x 0.100 inch	5001	Keystone		Yes
	TP4	V5A	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP7	SLEWA	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP8	5V_OVS	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone		Yes
	TP9	CSW2	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP10	CSW1	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP11	VCORE	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone		Yes
	TP13	GND	Test Point, Black, Thru Hole Color Keyed	0.100 x 0.100 inch	5001	Keystone		Yes
	TP14	5V_DRV	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone		Yes
	TP15	DROOP	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP17	VCCIO	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone		Yes
	TP19	VIN	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone		Yes
	TP20	1.2V	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone		Yes
	TP22	GND	Test Point, Black, Thru Hole Color Keyed	0.100 x 0.100 inch	5001	Keystone		Yes
	TP23	F-IMAX	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP24	VDD	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP35	PWM1	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP36	PWM2	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP37	SKIP#	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP42	OCP-I	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP44	O-USR	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP51	CSP2	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP52	CSN2	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP56	CSP1	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP57	CSN1	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP64	AGND	Test Point, Black, Thru Hole Color Keyed	0.100 x 0.100 inch	5001	Keystone		Yes
	TP65	131-4244-00	Adaptor, 3.5-mm probe clip (or 131-5031-00)	0.200 inch	131-4244-00	Tektronix		Yes
	TP68	5V_Q	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone		Yes
	TP71	5V_CON	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone		Yes
	TP72	3.3V	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone		Yes
	TP78	VR_ON	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP79	CPGOOD	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP84	\VR_HOT	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP86	THERM	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP87	COMP	Test Point, 0.032 Hole		5002	Keystone		Yes
	TP125	GND	Test Point, Black, Thru Hole Color Keyed	0.100 x 0.100 inch	5001	Keystone		Yes
	TP126	5VIN	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone		Yes
	U1	TPS51623RSMT	IC, 2-phase, D-CAP+ TM Step-Down Controller for VR12.1V CPU	QFN	TPS51623RSMT	TI		Yes
	U2	TPS7A8001DRB	IC, Low Noise, High-Bandwidth PSRR LDO 1A Linear Regulator	DRB-8	TPS7A8001DRB	TI		Yes
	U4	TPS70102PWP	IC, Dual Low DropOut Regulator, 500-mA and 250-mA Outputs	PWP20	TPS70102PWP	TI		Yes
	U9	TLV3404IPW	IC, NaNo Power, Open Output Comparators	PW14	TLV3404IPW	TI		Yes
	U11	rPGA947-HSW	Socket, CPU	BGA-989	rPGA947-HSW	FOXCONN		Yes
	U17	TPS71712DCK	IC, 150mA, Low Iq, Wide Bandwidth, LDO Linear Regulators	SC70	TPS71712DCK	TI		Yes
	U23	TS5A23157DGS	IC, Dual 10 Ohms SPDT Analog Switch	MSOP-10	TS5A23157DGS	TI		Yes

IMPORTANT NOTICE FOR TI REFERENCE DESIGNS

Texas Instruments Incorporated ("TI") reference designs are solely intended to assist designers ("Buyers") who are developing systems that incorporate TI semiconductor products (also referred to herein as "components"). Buyer understands and agrees that Buyer remains responsible for using its independent analysis, evaluation and judgment in designing Buyer's systems and products.

TI reference designs have been created using standard laboratory conditions and engineering practices. **TI has not conducted any testing other than that specifically described in the published documentation for a particular reference design.** TI may make corrections, enhancements, improvements and other changes to its reference designs.

Buyers are authorized to use TI reference designs with the TI component(s) identified in each particular reference design and to modify the reference design in the development of their end products. HOWEVER, NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER TI INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY THIRD PARTY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT, IS GRANTED HEREIN, including but not limited to any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI components or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services, or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

TI REFERENCE DESIGNS ARE PROVIDED "AS IS". TI MAKES NO WARRANTIES OR REPRESENTATIONS WITH REGARD TO THE REFERENCE DESIGNS OR USE OF THE REFERENCE DESIGNS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ACCURACY OR COMPLETENESS. TI DISCLAIMS ANY WARRANTY OF TITLE AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT, QUIET POSSESSION, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS WITH REGARD TO TI REFERENCE DESIGNS OR USE THEREOF. TI SHALL NOT BE LIABLE FOR AND SHALL NOT DEFEND OR INDEMNIFY BUYERS AGAINST ANY THIRD PARTY INFRINGEMENT CLAIM THAT RELATES TO OR IS BASED ON A COMBINATION OF COMPONENTS PROVIDED IN A TI REFERENCE DESIGN. IN NO EVENT SHALL TI BE LIABLE FOR ANY ACTUAL, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR INDIRECT DAMAGES, HOWEVER CAUSED, ON ANY THEORY OF LIABILITY AND WHETHER OR NOT TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, ARISING IN ANY WAY OUT OF TI REFERENCE DESIGNS OR BUYER'S USE OF TI REFERENCE DESIGNS.

TI reserves the right to make corrections, enhancements, improvements and other changes to its semiconductor products and services per JESD46, latest issue, and to discontinue any product or service per JESD48, latest issue. Buyers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All semiconductor products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its components to the specifications applicable at the time of sale, in accordance with the warranty in TI's terms and conditions of sale of semiconductor products. Testing and other quality control techniques for TI components are used to the extent TI deems necessary to support this warranty. Except where mandated by applicable law, testing of all parameters of each component is not necessarily performed.

TI assumes no liability for applications assistance or the design of Buyers' products. Buyers are responsible for their products and applications using TI components. To minimize the risks associated with Buyers' products and applications, Buyers should provide adequate design and operating safeguards.

Reproduction of significant portions of TI information in TI data books, data sheets or reference designs is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Buyer acknowledges and agrees that it is solely responsible for compliance with all legal, regulatory and safety-related requirements concerning its products, and any use of TI components in its applications, notwithstanding any applications-related information or support that may be provided by TI. Buyer represents and agrees that it has all the necessary expertise to create and implement safeguards that anticipate dangerous failures, monitor failures and their consequences, lessen the likelihood of dangerous failures and take appropriate remedial actions. Buyer will fully indemnify TI and its representatives against any damages arising out of the use of any TI components in Buyer's safety-critical applications.

In some cases, TI components may be promoted specifically to facilitate safety-related applications. With such components, TI's goal is to help enable customers to design and create their own end-product solutions that meet applicable functional safety standards and requirements. Nonetheless, such components are subject to these terms.

No TI components are authorized for use in FDA Class III (or similar life-critical medical equipment) unless authorized officers of the parties have executed an agreement specifically governing such use.

Only those TI components that TI has specifically designated as military grade or "enhanced plastic" are designed and intended for use in military/aerospace applications or environments. Buyer acknowledges and agrees that any military or aerospace use of TI components that have **not** been so designated is solely at Buyer's risk, and Buyer is solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI has specifically designated certain components as meeting ISO/TS16949 requirements, mainly for automotive use. In any case of use of non-designated products, TI will not be responsible for any failure to meet ISO/TS16949.