Filename: PMP20176_BOM_20170620.xls

Variant: 001 Generated: 5/11/2017 9:36:55 AM

PMP20176 Reference Design

PMP20176 Reference Design								
Designator !PCB500	Quantity 1	Value	Description Printed Circuit Board	PackageReference	PartNumber PMP20176	Manufacturer Any	Alternate PartNumber	Alternate Manufacturer
BodeTP	1		Test Point, Miniature, White, TH	White Miniature	5002	Keystone		
C1, C5	2	2.2uF	CAP, CERM, 2.2 µF, 16 V, +/- 10%, X7R, 0603	Testpoint 0603	GRM188Z71C225KE43	MuRata		
C2	1	1000pF	CAP, CERM, 1000 pF, 50 V, +/- 10%, X7R, 0402	0402	GRM155R71H102KA01			
C3, C4, C9	3	22pF	CAP, CERM, 22 pF, 50 V, +/- 5%, C0G/NP0, 0402	0402	GRM1555C1H220JA01	MuRata		
C6, C8	2	1uF	CAP, CERM, 1 μF, 25 V, +/- 10%, X5R, 0402	0402	GRM155R61E105KA12	MuRata		
C7	1	100pF		0402	C0402C101J3GACTU	Kemet		
C10	1	3300pF	CAP, CERM, 3300 pF, 50 V, +/- 10%, X7R, 0402	0402	GRM155R71H332KA01	MuRata		
C11	1	560pF	CAP, CERM, 560 pF, 25 V, +/- 5%, C0G/NP0, 0402	0402	GRM1555C1E561JA01 D	MuRata		
C101, C102, C103, C104, C201, C202, C203, C204, C301, C302, C303, C304, C401, C402,	16	22uF	CAP, CERM, 22 μF, 25 V, +/- 10%, X7R, 1210	1210	GRM32ER71E226KE15 L	MuRata		
C105, C205,	4	3300pF	CAP, CERM, 3300pF, 50V, +/-10%, X7R, 0402	0402	C1005X7R1H332K	TDK		
C305, C405								
C106, C206, C306, C406	4	10uF	CAP, CERM, 10uF, 6.3V, +/-20%, X5R, 0603	0603	C0603C106M9PACTU	Kemet		
C107, C207, C307, C407	4	1000pF	CAP, CERM, 1000pF, 25V, +/-5%, C0G/NP0, 0402	0402	C1005C0G1E102J	TDK		
C108, C208, C308, C408	4	0.1uF	CAP, CERM, 0.1uF, 16V, +/-10%, X5R, 0402	0402	GRM155R61C104KA88 D	MuRata		
C109, C209, C309, C409	4	0.1uF	CAP, CERM, 0.1 μF, 16 V, +/- 10%, X7R, 0402	0402	GRM155R71C104KA88 D	MuRata		
C309, C409 C110, C210, C310, C410	4	1500pF	CAP, CERM, 1500pF, 100V, +/-10%, X7R, 0805	0805	08051C152KAT2A	AVX		
C112, C113, C115, C116, C120, C124, C127, C128, C129, C901, C902, C903, C904	13	220uF	CAP, CERM, 220 μF, 4 V, +/- 10%, X6S, 1210	1210	AMK325AC6227MM-P	Taiyo Yuden		
C500, C501, C503, C504	4	0.1uF	CAP, CERM, 0.1 μF, 50 V, +/- 20%, X7R, 0402	0402	C1005X7R1H104M	TDK		
C502	1	10uF	CAP, CERM, 10 μF, 25 V, +/- 10%, X7R, 1206	1206	GRM31CR71E106KA12	MuRata		
C505	1	22uF	CAP, CERM, 22 μF, 10 V, +/- 20%, X7R, 1206	1206	GRM31CR71A226ME1	MuRata		
C506	1	1uF	CAP, CERM, 1 µF, 10 V, +/- 10%, X5R, 0402	0402	GRM155R61A105KE15	MuRata		
C507	1	0.1uF	CAP, CERM, 0.1 µF, 25 V, +/- 10%, X5R, 0402	0402	GRM155R61E104KA87	MuRata		
C511,	3	270uF		8.0x9.0mm	16SEPC270MX	Panasonic		
C513, C514 C700, C701, C702, C703, C704, C705, C706, C707, C708, C709, C711, C711, C712, C713	14	0.01uF	ohm, TH CAP, CERM, 0.01 μF, 16 V, +/- 10%, X7R, 0402	0402	GRM155R71C103KA01 D	MuRata		

Designator C714,		Value 0.1uF	Description CAP, CERM, 0.1 μF, 16 V, +/- 10%, X7R, 0402	PackageReference 0402	PartNumber GCM155R71C104KA55		Alternate PartNumber	Alternate Manufacturer	
C715, C716,					D				
C727,									
C728, C729,									
C730,									
C731, C732,									
C733,									
C734, C735,									
C736,									
C737, C738,									
C739,									
C740, C741,									
C742,									
C743, C744,									
C745, C746,									
C747,									
C748, C749,									
C750,									
C751, C752, C753									
C717, C718,	10	1uF	CAP, CERM, 1 µF, 6.3 V, +/- 20%, X7R, 0402	0402	GRM155R70J105MA12	MuRata			
C719,									
C720, C721,									
C722,									
C723, C724,									
C725, C726 C754,	60	4.7uF	CAP, CERM, 4.7 µF, 6.3 V, +/- 20%, X5R, 0402	0402	GRM155R60J475ME87	MuRata			
C755,			, , , , , , , , , , , , , , , , , , , ,		D				
C756, C757,									
C758, C759,									
C760,									
C761, C762,									
C763,									
C764, C765,									
C766,									
C767, C768,									
C769, C770,									
C771,									
C772, C773,									
C774,									
C775, C776,									
C777,									
C778, C779,									
C780,									
C781, C782,									
C783, C784,									
C785,		001/	Di 1 0 1 4 4 00 V 0 0 1 00 D 000	000 000	DATE (14/0 7 E	B			
D500 D501	1	30V Red	Diode, Schottky, 30 V, 0.2 A, SOD-323 LED, Red, SMD	SOD-323 LED_0805	BAT54WS-7-F LTST-C170KRKT	Diodes Inc. Lite-On			
D502, D503,	4	30V	Diode, Schottky, 30 V, 0.5 A, SOD-123	SOD-123	MBR0530T1G	ON Semiconductor			
D504, D505	4	Black	Test Point, Miniature, Black, TH	Black Miniature	5001	Kayatana			
exc_rtn, GndTP,	4	Біаск	Test Point, Miniature, Black, 1H	Testpoint	5001	Keystone			
TP502, TP504									
ext_clk,	5	Red	Test Point, Miniature, Red, TH	Red Miniature	5000	Keystone			
TP501, TP503,				Testpoint					
TP506,									
VoutTP Fault, Hot,	3		Test Point, Miniature, SMT		5015	Keystone			
RDY H500,	4		Standoff, Hex, 0.5"L #4-40 Nylon	Miniature Standoff	1902C	Keystone	-	-	
H502, H504, H506									
H501,	4		Machine Screw, Round, #4-40 x 1/4, Nylon, Philips	Screw	NY PMS 440 0025 PH	B&F Fastener Supply			
H503, H505, H507			panhead						
int_clk_EN, int_clk_sel	2		Header, 100mil, 2x1, Gold, TH	Sullins 100mil, 1x2, 230 mil above	PBC02SAAN	Sullins Connector Solutions			
	4		Connector, Ultra-Mini Coaxial, SMD	insulator	U.FL-R-SMT-1	Hirona Electric Co. 141			
J502	1			SMD		Hirose Electric Co. Ltd.			
J503, J504, J505, J506	4	90A	Terminal 90A Lug	CB70-14-CY	CB70-14-CY	Panduit			
J507	1		Terminal Block, 5.08 mm, 4x1, Brass, TH	4x1 5.08 mm Terminal Block	ED120/4DS	On-Shore Technology			
J600	11		Terminal Block, 6A, 3.5mm Pitch, 2-Pos, TH	7.0x8.2x6.5mm	ED555/2DS	On-Shore Technology			
J610 J611	<u>1</u> 1		Header (shrouded), 100mil, 5x2, Gold, TH Header, 100mil, 2x1, Tin, TH	5x2 Shrouded header Header, 2 PIN,	5103308-1 PEC02SAAN	TE Connectivity Sullins Connector Solutions			
				100mil, Tin					

Designator JS500,	Quantity 4	Value	Description Card Edge Socket, 0.8mm, 10x2, SMT	PackageReference Card Edge Socket,	PartNumber HSEC8-110-01-S-DV-A	Manufacturer	Alternate PartNumber	Alternate Manufacturer
JS501,	4		Card Luge Socket, 0.6Hill, 10X2, SWI	0.8mm, 10x2, SMT	113EC0-110-01-3-DV-A	Samlec		
JS502, JS503								
L101, L201,	4	150nH	Inductor, Ferrite, 150 nH, 41 A, 0.00029 ohm, SMD	10.31x7.65mm	PA2607.151NLT	Pulse Engineering		
L301, L401 L500	1	2.2uH	Inductor, Shielded, Ferrite, 2.2 µH, 1.26 A, 0.066 ohm,	IND_3x1.2x3mm	VLF302512MT-2R2M	TDK		
			SMD		00040400050			
Q500, Q501,	4	25V	MOSFET, N-CH, 25 V, 113 A, DualCool SON 5x6mm	DualCool SON 5x6mm	CSD16408Q5C	Texas Instruments		None
Q502, Q503	0	54	DEC 54 59/ 0.002 W 0402		CDCW0400E4D0 INED	Vistoria Della		
R1, R2 R3, R5		51 2.2	RES, 51, 5%, 0.063 W, 0402 RES, 2.2, 5%, 0.063 W, 0402	0402 0402	CRCW040251R0JNED CRCW04022R20JNED			
R4		121k	RES, 121 k, 1%, 0.063 W, 0402	0402	CRCW0402121KFKED			
R6, R7, R9, R502	4	10.0k	RES, 10.0 k, 1%, 0.063 W, 0402	0402	CRCW040210K0FKED	Vishay-Dale		
R8 R10		2.43k 48.7k	RES, 2.43 k, 1%, 0.063 W, 0402 RES, 48.7 k, 1%, 0.063 W, 0402	0402 0402	CRCW04022K43FKED CRCW040248K7FKED			
R101,		2.2	RES, 2.2 ohm, 5%, 0.063 W, 0402	0402	CRCW040246K7FRED			
R201, R301, R401								
R102,	4	1.0	RES, 1.0 ohm, 5%, 0.5W, 1206	1206	CRM1206-JW-1R0ELF	Bourns		
R202, R302, R402								
R500, R503		8.06k	RES, 8.06 k, 1%, 0.063 W, 0402	0402	CRCW04028K06FKED			
R501 R504		200k 330	RES, 200 k, 1%, 0.063 W, 0402 RES, 330, 5%, 0.063 W, 0402	0402 0402	CRCW0402200KFKED CRCW0402330RJNED			
R505,		0.3	RES, 0.3, 1%, 2 W, 2512	2512	CSRN2512FKR300	Stackpole Electronics Inc		
R506,						'		
R507, R508,								
R509,								
R510,								
R511, R512,								
R513,								
R514,								
R515, R516,								
R517,								
R518,								
R519, R520,								
R521,								
R522, R523,								
R523,								
R525,								
R526, R532,								
R533,								
R534,								
R535, R536,								
R537,								
R538, R539,								
R540,								
R541, R527	1	49.9	RES, 49.9, 1%, 0.063 W, 0402	0402	CRCW040249R9FKED	Vishay-Dala		
R528,			RES, 20, 5%, 0.1 W, 0603	0603	CRCW060320R0JNEA			
R530, R543 R529,	3	249	RES, 249, 1%, 0.1 W, 0603	0603	CRCW0603249RFKEA	Vishay-Dala		
R531, R544						•		
R567, R568 R570,	4	10 10.0k	RES, 10, 5%, 0.1 W, 0603 RES, 10.0 k, 1%, 0.1 W, 0603	0603 0603	CRCW060310R0JNEA CRCW060310K0FKEA			
R571,	•	-				'-		
R572, R573 R610,	3	10.0k	RES, 10.0k ohm, 1%, 0.063W, 0402	0402	CRCW040210K0FKED	Vishay-Dale		
R611, R612 TP500	1		Test Point, Compact, SMT	Testpoint_Keystone_	5016	Keystone		
				Compact		-		
U1	1		4-Phase, D-CAP+TM Step-Down Buck Controller with NVM and PMBus Interface for ASIC, RTA0040B	RTA0040B	TPS53647RTAR	Texas Instruments	TPS53647RTAT	Texas Instruments
			(WQFN-40)					
U101, U201,	4		Synchronous Buck NexFET Power Stage, DQP0012A	DQP0012A	CSD95472Q5MC	Texas Instruments		Texas Instruments
U301, U401								
U500	1		Buck Step Down Regulator with 3 to 17 V Input and 5 V Output, -40 to 85 degC, 8-Pin WSON (DSG), Green	DSG0008A	TPS62163DSGR	Texas Instruments	Equivalent	Texas Instruments
			(RoHS & no Sb/Br)					
U501 U502	1		LinCMOS Timer, D0008A DUAL 4-A PEAK HIGH SPEED LOW- SIDE POWER	D0008A D0008A	TLC555CD UCC27324D	Texas Instruments Texas Instruments		Texas Instruments Texas Instruments
			MOSFET DRIVERS, D0008A					TONGS HISHUITEINS
C111,	0	220uF	CAP, CERM, 220 μF, 4 V, +/- 10%, X6S, 1210	1210	AMK325AC6227MM-P	Taiyo Yuden		
C114, C117,								
C118,								
C119, C121,								
C121, C122,								
C123,								
C125, C126, C130								
C508,	0	100uF	CAP, CERM, 100 μF, 6.3 V, +/- 20%, X5R, 1210	1210	GRM32ER60J107ME20	MuRata		
C509, C510, C515					L			
FID500,	0		Fiducial mark. There is nothing to buy or mount.	Fiducial	N/A	N/A		
FID501, FID502								
			•	•	•	•		

IMPORTANT NOTICE FOR TI DESIGN INFORMATION AND RESOURCES

Texas Instruments Incorporated ('TI") technical, application or other design advice, services or information, including, but not limited to, reference designs and materials relating to evaluation modules, (collectively, "TI Resources") are intended to assist designers who are developing applications that incorporate TI products; by downloading, accessing or using any particular TI Resource in any way, you (individually or, if you are acting on behalf of a company, your company) agree to use it solely for this purpose and subject to the terms of this Notice.

TI's provision of TI Resources does not expand or otherwise alter TI's applicable published warranties or warranty disclaimers for TI products, and no additional obligations or liabilities arise from TI providing such TI Resources. TI reserves the right to make corrections, enhancements, improvements and other changes to its TI Resources.

You understand and agree that you remain responsible for using your independent analysis, evaluation and judgment in designing your applications and that you have full and exclusive responsibility to assure the safety of your applications and compliance of your applications (and of all TI products used in or for your applications) with all applicable regulations, laws and other applicable requirements. You represent that, with respect to your applications, you have all the necessary expertise to create and implement safeguards that (1) anticipate dangerous consequences of failures, (2) monitor failures and their consequences, and (3) lessen the likelihood of failures that might cause harm and take appropriate actions. You agree that prior to using or distributing any applications that include TI products, you will thoroughly test such applications and the functionality of such TI products as used in such applications. TI has not conducted any testing other than that specifically described in the published documentation for a particular TI Resource.

You are authorized to use, copy and modify any individual TI Resource only in connection with the development of applications that include the TI product(s) identified in such TI Resource. NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER TI INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT OF TI OR ANY THIRD PARTY IS GRANTED HEREIN, including but not limited to any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information regarding or referencing third-party products or services does not constitute a license to use such products or services, or a warranty or endorsement thereof. Use of TI Resources may require a license from a third party under the patents or other intellectual property of TI.

TI RESOURCES ARE PROVIDED "AS IS" AND WITH ALL FAULTS. TI DISCLAIMS ALL OTHER WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, REGARDING TI RESOURCES OR USE THEREOF, INCLUDING BUT NOT LIMITED TO ACCURACY OR COMPLETENESS, TITLE, ANY EPIDEMIC FAILURE WARRANTY AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

TI SHALL NOT BE LIABLE FOR AND SHALL NOT DEFEND OR INDEMNIFY YOU AGAINST ANY CLAIM, INCLUDING BUT NOT LIMITED TO ANY INFRINGEMENT CLAIM THAT RELATES TO OR IS BASED ON ANY COMBINATION OF PRODUCTS EVEN IF DESCRIBED IN TI RESOURCES OR OTHERWISE. IN NO EVENT SHALL TI BE LIABLE FOR ANY ACTUAL, DIRECT, SPECIAL, COLLATERAL, INDIRECT, PUNITIVE, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES IN CONNECTION WITH OR ARISING OUT OF TI RESOURCES OR USE THEREOF, AND REGARDLESS OF WHETHER TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You agree to fully indemnify TI and its representatives against any damages, costs, losses, and/or liabilities arising out of your non-compliance with the terms and provisions of this Notice.

This Notice applies to TI Resources. Additional terms apply to the use and purchase of certain types of materials, TI products and services. These include; without limitation, TI's standard terms for semiconductor products http://www.ti.com/sc/docs/stdterms.htm), evaluation modules, and samples (http://www.ti.com/sc/docs/sampterms.htm).

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2017, Texas Instruments Incorporated