

** TEXAS INSTRUMENTS Bill of Materials

Designator	Quantity	Value	Description	PackageReference	PartNumber	Manufacturer
R15	1	100k, DNP	RES, 100k ohm, 5%, 0.1W,	0603	DNP	DNP
R13, R17, R18	3	10k, DNP	RES, 10k ohm, 5%, 0.1W, 0603	0603	DNP	DNP
R19	1	3.0k, DNP	RES, 3.0k ohm, 5%, 0.1W, 0603	0603	DNP	DNP
C20, C21	2	220uF	CAP, AL, 220uF, 50V, +/- 20%, 0.3 ohm, SMD	SMT Radial G	EEE-FC1H221P	Panasonic
C11	1	47uF	CAP, AL, 47uF, 25V, +/-20%, 0.36 ohm, SMD	SMT Radial D	EEE-FK1E470P	Panasonic
C14	1	0.015uF	CAP, CERM, 0.015uF, 50V, +/-10%, X7R, 0603	0603	GRM188R71H153KA01D	MuRata
C24	1	0.01uF	CAP, CERM, 0.01uF, 100V, +/-10%, X7R, 0603	0603	C1608X7R2A103K	TDK
C3	1	0.022uF	CAP, CERM, 0.022uF, 50V, +/-10%, X7R, 0603	0603	C1608X7R1H223K	TDK
C2, C9, C22	3	0.1uF	CAP, CERM, 0.1uF, 100V, +/-10%, X7R, 0603	0603	GRM188R72A104KA35D	MuRata
C23, C34, C35, C36, C37	5	0.1uF	CAP, CERM, 0.1uF, 16V, +/- 5%, X7R, 0603	0603	C0603C104J4RACTU	Kemet
C12, C19	2	0.1uF	CAP, CERM, 0.1uF, 25V, +/- 10%, X7R, 0603	0603	C1608X7R1E104K	TDK
C5, C6, C7, C10	4	0.1uF	CAP, CERM, 0.1uF, 50V, +/- 10%, X7R, 0603	0603	C1608X7R1H104K	TDK
C31, C32, C33	3	1000pF	CAP, CERM, 1000pF, 50V, +/-5%, C0G/NP0, 0603	0603	C0603C102J5GAC	Kemet
C15	1	120pF	CAP, CERM, 120pF, 50V, +/- 5%, C0G/NP0, 0603	0603	GRM1885C1H121JA01D	MuRata
C13	1	1uF	CAP, CERM, 1uF, 25V, +/- 10%, X5R, 0603	0603	C1608X5R1E105K080AC	TDK
C16, C17	2	1uF	CAP, CERM, 1uF, 25V, +/- 10%, X5R, 0603	0603	GRM188R61E105KA12D	MuRata

Designator	Quantity	Value	Description	PackageReference	PartNumber	Manufacturer
04.00		2.2uF	OAD OFFIN O OVE 100V	4040	ODMOOFD704005K405K	M.D.t.
C1, C8, C28, C29,	5	2.2UF	CAP, CERM, 2.2uF, 100V, +/-10%, X7R, 1210	1210	GRM32ER72A225KA35L	Murata
C30			10%, X/11, 1210			
C38	1	2.2uF	CAP, CERM, 2.2uF, 10V, +/-	0603	C0603C225M8PACTU	Kemet
			20%, X5R, 0603			
C4	1	2.2uF	- , - , - , - , - , - , - , - , - , - ,	0805	GRM219R61E225KA12D	MuRata
			10%, X5R, 0805			
C25, C26,	3	2200pF	CAP, CERM, 2200pF, 16V, +/-	0603	GRM188R71C222KA01D	MuRata
C27 C18		0000-F	10%, X7R, 0603	0000	ODM4.00D74110001/4.04D	MuRata
	1	6800pF	CAP, CERM, 6800pF, 50V, +/-	0603		FCI
J3, J4	2	20-Pin/2-Row	CONN RCPT 20POS .100 DL	OMP	89898-310ALF	
D3	1	100V	Diode, Schottky, 100V, 2A,	SMB	CDBB2100-G	Comchip Technology
U2	1	NUP4201MR6	IC, 500w 6v, Transient	SOT	NUP4201MR6	On Semi
U1	1	DRV8301DCA	IC, 3 Phase Pre-Driver with		DRV8301DCA	Texas Instruments
U3	1	OPA2374AIDCNx	-,,	SSOP-8	OPA2374AIDCN	TI
L1	1	33uH	INDUCTOR SHIELD PWR	0.300" sq	DR74-330-R	Cooper Bussmann
D4, D5	2	GREEN	LED THIN 565NM GRN DIFF		SML-LXT0805GW-TR	Lumex Opto/Components Inc
D1	1	YELLOW	LED THIN 585NM YEL DIFF		SML-LXT0805YW-TR	Lumex Opto/Components Inc
D2	1	RED	LED THIN660NM SUPRED		SML-LXT0805SRW-TR	Lumex Opto/Components Inc
Q1, Q2	2	P_CH	MOSFET P-CH 8V 5.4A		SI2325DS-T1-E3	Vishey Siliconix
Q3, Q4,	6	CSD18533Q5A	MOSFET, N-Chan, 60V, 18A,	QFN-8 POWER	CSD18533Q5A	TI
R14, R16	2	0	RES, 0 ohm, 5%, 0.1W, 0603	0603	CRCW06030000Z0EA	Vishay-Dale
R34, R35,	3	0.01	RES, 0.01 ohm, 1%, 3W,	2512	CRA2512-FZ-R010ELF	Bourns
R5	1	1.0	RES, 1.0 ohm, 5%, 0.1W,	0603	CRCW06031R00JNEA	Vishay-Dale
R44, R45	2	1.00k	RES, 1.00k ohm, 1%, 0.1W,	0603	CRCW06031K00FKEA	Vishay-Dale
R6, R9	2	1.0k	RES, 1.0k ohm, 5%, 0.1W,	0603	CRCW06031K00JNEA	Vishay-Dale
R28, R29,	6	10	RES, 10 ohm, 5%, 0.1W,	0603	CRCW060310R0JNEA	Vishay-Dale
R8, R43,	4	10.0k	RES, 10.0k ohm, 0.1%, 0.1W,	0603	RG1608P-103-B-T5	Susumu Co Ltd
R2, R3,	4	10k	RES, 10k ohm, 5%, 0.1W,	0603	CRCW060310K0JNEA	Vishay-Dale
R12	1	16.2k	RES, 16.2k ohm, 1%, 0.1W,	0603	CRCW060316K2FKEA	Vishay-Dale
R11	1	205k	RES, 205k ohm, 1%, 0.1W,	0603	CRCW0603205KFKEA	Vishay-Dale
R21	1	3.3	RES, 3.3 ohm, 5%, 0.25W,	1206	CRCW12063R30JNEA	Vishay-Dale
R7	1	31.6k	RES, 31.6k ohm, 1%, 0.1W,	0603	CRCW060331K6FKEA	Vishay-Dale
R1, R4,	3	330	RES, 330 ohm, 5%, 0.1W,	0603	CRCW0603330RJNEA	Vishay-Dale
R20, R37,	4	34.8k	RES, 34.8k ohm, 1%, 0.1W,	0603	CRCW060334K8FKEA	Vishay-Dale
R22, R23,	5	4.99k	RES, 4.99k ohm, 1%, 0.1W,	0603	CRCW06034K99FKEA	Vishay-Dale
R25, R26,	3	56	RES, 56 ohm, 5%, 0.1W,	0603	CRCW060356R0JNEA	Vishay-Dale
J2	1	2 Pin Header	TERMINAL BLOCK 5.08MM	TERM_BLK, 2pos, 5.08mm	OSTTA024163	On-Shore Technology
J11	1	3 Pin Header	TERMINAL BLOCK 5.08MM	TERM BLK, 3pos, 5.08mm	OSTTA034163	On-Shore Technology

Notes:

Unless otherwise noted in the Alternate PartNumber and/or Alternate Manufacturer columns, all parts may be substituted with equivalents.

IMPORTANT NOTICE FOR TI REFERENCE DESIGNS

Texas Instruments Incorporated ("TI") reference designs are solely intended to assist designers ("Buyers") who are developing systems that incorporate TI semiconductor products (also referred to herein as "components"). Buyer understands and agrees that Buyer remains responsible for using its independent analysis, evaluation and judgment in designing Buyer's systems and products.

TI reference designs have been created using standard laboratory conditions and engineering practices. TI has not conducted any testing other than that specifically described in the published documentation for a particular reference design. TI may make corrections, enhancements, improvements and other changes to its reference designs.

Buyers are authorized to use TI reference designs with the TI component(s) identified in each particular reference design and to modify the reference design in the development of their end products. HOWEVER, NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER TI INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY THIRD PARTY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT, Is GRANTED HEREIN, including but not limited to any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI components or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services, or a warranty or endorsement thereof. Use of such information may require a license from a third party, or a license from TI under the patents or other intellectual property of TI.

TI REFERENCE DESIGNS ARE PROVIDED "AS IS". TI MAKES NO WARRANTIES OR REPRESENTATIONS WITH REGARD TO THE REFERENCE DESIGNS OR USE OF THE REFERENCE DESIGNS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ACCURACY OR COMPLETENESS. TI DISCLAIMS ANY WARRANTY OF TITLE AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT, QUIET POSSESSION, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS WITH REGARD TO TI REFERENCE DESIGNS OR USE THEREOF. TI SHALL NOT BE LIABLE FOR AND SHALL NOT DEFEND OR INDEMNIFY BUYERS AGAINST ANY THIRD PARTY INFRINGEMENT CLAIM THAT RELATES TO OR IS BASED ON A COMBINATION OF COMPONENTS PROVIDED IN A TI REFERENCE DESIGN. IN NO EVENT SHALL TI BE LIABLE FOR ANY ACTUAL, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR INDIRECT DAMAGES, HOWEVER CAUSED, ON ANY THEORY OF LIABILITY AND WHETHER OR NOT TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, ARISING IN ANY WAY OUT OF TI REFERENCE DESIGNS OR BUYER'S USE OF TI REFERENCE DESIGNS.

TI reserves the right to make corrections, enhancements, improvements and other changes to its semiconductor products and services per JESD46, latest issue, and to discontinue any product or service per JESD48, latest issue. Buyers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All semiconductor products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its components to the specifications applicable at the time of sale, in accordance with the warranty in TI's terms and conditions of sale of semiconductor products. Testing and other quality control techniques for TI components are used to the extent TI deems necessary to support this warranty. Except where mandated by applicable law, testing of all parameters of each component is not necessarily performed.

TI assumes no liability for applications assistance or the design of Buyers' products. Buyers are responsible for their products and applications using TI components. To minimize the risks associated with Buyers' products and applications, Buyers should provide adequate design and operating safeguards.

Reproduction of significant portions of TI information in TI data books, data sheets or reference designs is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Buyer acknowledges and agrees that it is solely responsible for compliance with all legal, regulatory and safety-related requirements concerning its products, and any use of TI components in its applications, notwithstanding any applications-related information or support that may be provided by TI. Buyer represents and agrees that it has all the necessary expertise to create and implement safeguards that anticipate dangerous failures, monitor failures and their consequences, lessen the likelihood of dangerous failures and take appropriate remedial actions. Buyer will fully indemnify TI and its representatives against any damages arising out of the use of any TI components in Buyer's safety-critical applications.

In some cases, TI components may be promoted specifically to facilitate safety-related applications. With such components, TI's goal is to help enable customers to design and create their own end-product solutions that meet applicable functional safety standards and requirements. Nonetheless, such components are subject to these terms.

No TI components are authorized for use in FDA Class III (or similar life-critical medical equipment) unless authorized officers of the parties have executed an agreement specifically governing such use.

Only those TI components that TI has specifically designated as military grade or "enhanced plastic" are designed and intended for use in military/aerospace applications or environments. Buyer acknowledges and agrees that any military or aerospace use of TI components that have *not* been so designated is solely at Buyer's risk, and Buyer is solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI has specifically designated certain components as meeting ISO/TS16949 requirements, mainly for automotive use. In any case of use of non-designated products, TI will not be responsible for any failure to meet ISO/TS16949.