



Product Service

CERTIFICATE

No. Z10 16 01 84071 014

Holder of Certificate: Texas Instruments Incorporated13905 University Blvd.
Sugar Land TX 77479
USA**Factory(ies):** 89040**Certification Mark:****Product:** Safety components
Safety MCU**Model(s):** TMS570LS31x/21x
For nomenclature see attachment**Parameters:** Up to SIL 3
Up to ASIL D

The Report referenced below and the user documentation in the currently valid revision are mandatory part of this certificate. The product complies with the following listed safety requirements only if the specifications documented in the currently valid revisions of this report are met.

Tested according to: IEC 61508-1(ed.2)
IEC 61508-2(ed.2)
ISO 26262-2:2011
ISO 26262-5:2011

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.: TH88008C**Valid until:** 2021-01-25**Date,** 2016-01-26 (Peter Weiss)

Page 1 of 3



**ATTACHMENT TO CERTIFICATE
No. Z10 16 01 84071 014**

Nomenclature of Product type TMS570LS31x/21x

Orderable Part Number	Part Number
TMS5702122CPGEEQQ1	TMS570LS2122
TMS5702123CPGEEQQ1	TMS570LS2123
TMS5702124CPGEEQQ1	TMS570LS2124
TMS5702124CZWTQQ1	TMS570LS2124
TMS5702125CPGEEQQ1	TMS570LS2125
TMS5702125CZWTQQ1	TMS570LS2125
TMS5702134CPGEEQQ1	TMS570LS2134
TMS5702134CZWTQQ1	TMS570LS2134
TMS5702135CPGEEQQ1	TMS570LS2135
TMS5702135CZWTQQ1	TMS570LS2135
TMS5702136CZWTQQ1	TMS570LS2136
TMS5702136CZWTSQ1	TMS570LS2136
TMS5703134CPGEEQQ1	TMS570LS3134
TMS5703134CZWTQQ1	TMS570LS3134
TMS5703135CPGEEQQ1	TMS570LS3135
TMS5703135CZWTQQ1	TMS570LS3135
TMS5703136CZWTQQ1	TMS570LS3136
TMS5703136CZWTSQ1	TMS570LS3136
TMS5703137CPGEEQQ1	TMS570LS3137
TMS5703137CZWTQQ1	TMS570LS3137
TMS5702124DPGEEQQ1	TMS570LS2124
TMS5702124DPGEEQQ1R	TMS570LS2124
TMS5702124DZWTQQ1	TMS570LS2124
TMS5702124DZWTQQ1R	TMS570LS2124
TMS5702125DPGEEQQ1	TMS570LS2125
TMS5702125DPGEEQQ1R	TMS570LS2125
TMS5702125DZWTQQ1	TMS570LS2125
TMS5702125DZWTQQ1R	TMS570LS2125
TMS5702134DPGEEQQ1	TMS570LS2134



ATTACHMENT TO CERTIFICATE
No. Z10 16 01 84071 014

TMS5702134DPGEQQ1R	TMS570LS2134
TMS5702134DZWTQQ1	TMS570LS2134
TMS5702134DZWTQQ1R	TMS570LS2134
TMS5702135DPGEQQ1	TMS570LS2135
TMS5702135DPGEQQ1R	TMS570LS2135
TMS5702135DZWTQQ1	TMS570LS2135
TMS5702135DZWTQQ1R	TMS570LS2135
TMS5702135DZWTSQ1	TMS570LS2135
TMS5702135DZWTSQ1R	TMS570LS2135
TMS5702136DZWTSQ1	TMS570LS2136
TMS5702136DZWTSQ1R	TMS570LS2136
TMS5703133DZWTQQ1	TMS570LS3133
TMS5703133DZWTQQ1R	TMS570LS3133
TMS5703134DPGEQQ1	TMS570LS3134
TMS5703134DPGEQQ1R	TMS570LS3134
TMS5703134DZWTQQ1	TMS570LS3134
TMS5703134DZWTQQ1R	TMS570LS3134
TMS5703135DPGEQQ1	TMS570LS3135
TMS5703135DPGEQQ1R	TMS570LS3135
TMS5703135DZWTQQ1	TMS570LS3135
TMS5703135DZWTQQ1R	TMS570LS3135
TMS5703136DZWTQQ1	TMS570LS3136
TMS5703136DZWTQQ1R	TMS570LS3136
TMS5703136DZWTSQ1	TMS570LS3136
TMS5703136DZWTSQ1R	TMS570LS3136
TMS5703137DPGEQQ1	TMS570LS3137
TMS5703137DPGEQQ1R	TMS570LS3137
TMS5703137DZWTQQ1	TMS570LS3137
TMS5703137DZWTQQ1R	TMS570LS3137



Report
on the
Certificate
Z10 16 01 84071 014

Manufacturer:

Texas Instruments Incorporated
13905 University Blvd.
Sugar Land TX 77479
USA

Report no. TH88008C
Revision 1.0 of 2016-01-26

Test Body
TÜV SÜD Rail GmbH
Generic Safety Systems
D-80339 Munich

Certification Body
TÜV SÜD Product Service GmbH

D-80339 Munich



TABLE OF CONTENTS

1	PURPOSE AND SCOPE	3
2	TARGET OF EVALUATION	3
2.1	DESCRIPTION	3
2.2	IDENTIFICATION	3
3	CERTIFICATION REQUIREMENTS	5
3.1	BASIS OF CERTIFICATION	5
3.2	CERTIFICATION DOCUMENTATION	5
3.3	FUNCTIONAL SAFETY	6
4	RESULTS	7
4.1	FUNCTIONAL SAFETY	7
4.2	GENERAL CONDITIONS AND RESTRICTIONS	7
5	CERTIFICATE NUMBER	8

Revision

Version	Status	Date	Author	Changed chapters	Reason of change
1.0	final	2016-01-26	Axel Köhnen	Initial	

Table 1: Revision



1 Purpose and Scope

In September 2015 the company Texas Instruments Incorporated assigned TÜV SÜD for testing and certification the Safety MCU TMS570LS21x/31x according to ASIL D of ISO 26262:2011 and SIL 3 of IEC 61508:2010. The project number related to these activities was: 717511609. The report on the certificate gives an overview related to the results of the certification process and the general safety relevant conditions and restrictions related to the use of the Safety MCU TMS570LS21x/31x.

2 Target of evaluation

2.1 Description

The target of evaluation is a generic safety microcontroller device based on the Hercules TMS570LSx and RM4x platform architecture. The assessment is based on a tailored safety lifecycle for safety elements out of context (SEooC) according to ISO 26262:2011 and compliant items according to IEC 61508:2010.

2.2 Identification

This report is valid for the silicon revision C and D. The models covered by the certificate are listed in the following table:

Orderable Part Number	Part Number
TMS5702122CPGEQQ1	TMS570LS2122
TMS5702123CPGEQQ1	TMS570LS2123
TMS5702124CPGEQQ1	TMS570LS2124
TMS5702124CZWTQQ1	TMS570LS2124
TMS5702125CPGEQQ1	TMS570LS2125
TMS5702125CZWTQQ1	TMS570LS2125
TMS5702134CPGEQQ1	TMS570LS2134
TMS5702134CZWTQQ1	TMS570LS2134
TMS5702135CPGEQQ1	TMS570LS2135
TMS5702135CZWTQQ1	TMS570LS2135
TMS5702136CZWTQQ1	TMS570LS2136
TMS5702136CZWTSQ1	TMS570LS2136
TMS5703134CPGEQQ1	TMS570LS3134
TMS5703134CZWTQQ1	TMS570LS3134
TMS5703135CPGEQQ1	TMS570LS3135
TMS5703135CZWTQQ1	TMS570LS3135
TMS5703136CZWTQQ1	TMS570LS3136
TMS5703136CZWTSQ1	TMS570LS3136
TMS5703137CPGEQQ1	TMS570LS3137
TMS5703137CZWTQQ1	TMS570LS3137
TMS5702124DPGEQQ1	TMS570LS2124



TMS5702124DPGEQQ1R	TMS570LS2124
TMS5702124DZWTQQ1	TMS570LS2124
TMS5702124DZWTQQ1R	TMS570LS2124
TMS5702125DPGEQQ1	TMS570LS2125
TMS5702125DPGEQQ1R	TMS570LS2125
TMS5702125DZWTQQ1	TMS570LS2125
TMS5702125DZWTQQ1R	TMS570LS2125
TMS5702134DPGEQQ1	TMS570LS2134
TMS5702134DPGEQQ1R	TMS570LS2134
TMS5702134DZWTQQ1	TMS570LS2134
TMS5702134DZWTQQ1R	TMS570LS2134
TMS5702135DPGEQQ1	TMS570LS2135
TMS5702135DPGEQQ1R	TMS570LS2135
TMS5702135DZWTQQ1	TMS570LS2135
TMS5702135DZWTQQ1R	TMS570LS2135
TMS5702135DZWTSQ1	TMS570LS2135
TMS5702135DZWTSQ1R	TMS570LS2135
TMS5702136DZWTSQ1	TMS570LS2136
TMS5702136DZWTSQ1R	TMS570LS2136
TMS5703133DZWTQQ1	TMS570LS3133
TMS5703133DZWTQQ1R	TMS570LS3133
TMS5703134DPGEQQ1	TMS570LS3134
TMS5703134DPGEQQ1R	TMS570LS3134
TMS5703134DZWTQQ1	TMS570LS3134
TMS5703134DZWTQQ1R	TMS570LS3134
TMS5703135DPGEQQ1	TMS570LS3135
TMS5703135DPGEQQ1R	TMS570LS3135
TMS5703135DZWTQQ1	TMS570LS3135
TMS5703135DZWTQQ1R	TMS570LS3135
TMS5703136DZWTQQ1	TMS570LS3136
TMS5703136DZWTQQ1R	TMS570LS3136
TMS5703136DZWTSQ1	TMS570LS3136
TMS5703136DZWTSQ1R	TMS570LS3136
TMS5703137DPGEQQ1	TMS570LS3137
TMS5703137DPGEQQ1R	TMS570LS3137
TMS5703137DZWTQQ1	TMS570LS3137
TMS5703137DZWTQQ1R	TMS570LS3137

Table 1: Identification



3 Certification Requirements

3.1 Basis of Certification

The certification of the Safety MCU was performed according to the standards listed in clause 3.3 of this document. The basis of the certification was the successful completion of the following test segments:

- I. Functional Safety
 - Functional Safety management (FSM) and safety life-cycle
 - Avoidance of systematic faults
 - Hardware safety requirements (assumptions of use)
 - Analysis of the device structure (IP FMEAs, DFA)
 - Quantitative analysis of the hardware (FMEDA)
 - Fault injection and simulation
 - Hardware functional test and design verification
 - Hardware qualification
 - Development tool qualification
- II. Safety information in the product documentation (Safety manual, operating instructions)
- III. Product-related Quality Management in manufacturing

Certification is dependent on successful completion of all above listed test segments. The testing follows the basic certification scheme for Safety Components of TÜV SÜD Rail GmbH.

3.2 Certification Documentation

The detailed technical evaluation is documented in the technical reports N^o TH88006T and TH86600T.



3.3 Functional Safety

The testing for Functional Safety is to be performed using the following standards:

No.	Standard	Title
[N1]	IEC 61508-1: 2010 (SIL 3)	Functional safety of electrical/electronic/programmable electronic safety-related systems Part 1: General requirements
[N2]	IEC 61508-2: 2010 (SIL 3)	Functional safety of electrical/electronic/programmable electronic safety-related systems Part 2: Requirements for electrical/electronic/ programmable electronic safety-related systems
[N3]	ISO 26262-2:2011 (ASIL D)	Road vehicles — Functional safety — Part 2: Management of functional safety
[N4]	ISO 26262-5:2011 (ASIL D)	Road vehicles — Functional safety — Part 5: Product development at the hardware level

Table 2: Functional Safety



4 Results

4.1 Functional Safety

The tests performed and quality assurance measures implemented by the manufacturer have shown that the Safety MCU complies with the tailored testing criteria specified in clause 3.3. The Safety MCU provides different safety features implemented on-chip and requires additional safety mechanism to be implemented by the system integrator as software measures and external measures on system level. By using the different safety mechanisms the MCU can be used to support safety functions up to SIL 3 according to IEC 61508:2010 and ASIL D according to ISO 26262:2011.

4.2 General Conditions and Restrictions

The use of the Safety MCU shall comply with the current version of the safety relevant parts of the user documentation. The following list describes the main conditions and restrictions of use:

- The guidelines and requirements specified in the user documentation shall be followed. Especially the requirements of the system integration section of the Safety manual have to be regarded.
- The impact on the overall safety concept and the safety function has to be well understood and analysed if a safety mechanism described in the Safety manual is not used.
- All safety mechanism implemented by the system integrator have to be developed and verified according to the targeted safety standards
- All specific required characteristics and behaviour of the Safety MCU required by the final safety function have to be developed and verified according to the targeted safety standards. This includes also timing aspects like reaction times, test intervals or test execution times.
- The system integrator has to make sure that the conditions and restrictions defined in the documentation of the Safety MCU are understood and followed.



5 Certificate Number

This report defines conditions and restrictions required for the application of the Safety MCU to the certificate:

Z10 16 01 84071 014

Munich, 2016-01-26

TÜV SÜD Rail GmbH
Embedded Systems

A handwritten signature in blue ink, appearing to read 'Peter Weiß'.

Peter Weiß
(Technical Certifier)

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (<https://www.ti.com/legal/termsofsale.html>) or other applicable terms available either on [ti.com](https://www.ti.com) or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2021, Texas Instruments Incorporated