30-Jun-2025

www.ti.com

PACKAGING INFORMATION

Orderable part number	Status (1)	Material type	Package Pins	Package qty Carrier	RoHS (3)	Lead finish/ Ball material	MSL rating/ Peak reflow	Op temp (°C)	Part marking (6)
TMS320C6655CZH	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	0 to 85	TMS320C6655CZH @2012 TI
TMS320C6655CZH.B	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	0 to 85	TMS320C6655CZH @2012 TI
TMS320C6655CZH25	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	0 to 85	TMS320C6655CZH @2012 TI 1.25GHZ
TMS320C6655CZH25.B	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	0 to 85	TMS320C6655CZH @2012 TI 1.25GHZ
TMS320C6655CZHA	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	-40 to 100	TMS320C6655CZH @2012 TI A1GHZ
TMS320C6655CZHA.B	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	-40 to 100	TMS320C6655CZH @2012 TI A1GHZ
TMS320C6655CZHA25	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	-40 to 100	TMS320C6655CZH @2012 TI A1.25GHZ
TMS320C6655CZHA25.B	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	-40 to 100	TMS320C6655CZH @2012 TI A1.25GHZ
TMS320C6655GZHA	Active	Production	FCBGA (GZH) 625	60 JEDEC TRAY (5+1)	No	Call TI	Level-3-220C-168 HR	-40 to 100	TMS320C6655GZH @2012 TI A1GHZ
TMS320C6655GZHA.B	Active	Production	FCBGA (GZH) 625	60 JEDEC TRAY (5+1)	No	Call TI	Level-3-220C-168 HR	-40 to 100	TMS320C6655GZH @2012 TI A1GHZ
TMS320C6655SCZH	Active	Production	FCBGA (CZH) 625	-	-	Call TI	Call TI	0 to 85	TMS320C6655SCZH @2012 TI
TMS320C6657CZH	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	0 to 85	TMS320C6657CZH @2012 TI
TMS320C6657CZH.B	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	0 to 85	TMS320C6657CZH @2012 TI





www.ti.com 30-Jun-2025

Orderable part number	Status (1)	Material type	Package Pins	Package qty Carrier	RoHS (3)	Lead finish/ Ball material	MSL rating/ Peak reflow	Op temp (°C)	Part marking (6)
TMS320C6657CZH25	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	0 to 85	TMS320C6657CZH @2012 TI 1.25GHZ
TMS320C6657CZH25.B	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	0 to 85	TMS320C6657CZH @2012 TI 1.25GHZ
TMS320C6657CZH8	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	0 to 85	TMS320C6657CZH @2012 TI 850MHZ
TMS320C6657CZH8.B	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	0 to 85	TMS320C6657CZH @2012 TI 850MHZ
TMS320C6657CZHA	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	-40 to 100	TMS320C6657CZH @2012 TI A1GHZ
TMS320C6657CZHA.B	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	-40 to 100	TMS320C6657CZH @2012 TI A1GHZ
TMS320C6657CZHA25	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	-40 to 100	TMS320C6657CZH @2012 TI A1.25GHZ
TMS320C6657CZHA25.B	Active	Production	FCBGA (CZH) 625	60 JEDEC TRAY (5+1)	Yes	Call TI	Level-3-245C-168 HR	-40 to 100	TMS320C6657CZH @2012 TI A1.25GHZ
TMS320C6657GZHA	Active	Production	FCBGA (GZH) 625	60 JEDEC TRAY (5+1)	No	Call TI	Level-3-220C-168 HR	-40 to 100	TMS320C6657GZH @2012 TI A1GHZ
TMS320C6657GZHA.B	Active	Production	FCBGA (GZH) 625	60 JEDEC TRAY (5+1)	No	Call TI	Level-3-220C-168 HR	-40 to 100	TMS320C6657GZH @2012 TI A1GHZ
TMS320C6657SCZH	Active	Production	FCBGA (CZH) 625	-	-	Call TI	Call TI	0 to 85	TMS320C6657SCZH @2012 TI

⁽¹⁾ Status: For more details on status, see our product life cycle.



PACKAGE OPTION ADDENDUM

www.ti.com 30-Jun-2025

- (2) Material type: When designated, preproduction parts are prototypes/experimental devices, and are not yet approved or released for full production. Testing and final process, including without limitation quality assurance, reliability performance testing, and/or process qualification, may not yet be complete, and this item is subject to further changes or possible discontinuation. If available for ordering, purchases will be subject to an additional waiver at checkout, and are intended for early internal evaluation purposes only. These items are sold without warranties of any kind.
- (3) RoHS values: Yes, No, RoHS Exempt. See the TI RoHS Statement for additional information and value definition.
- (4) Lead finish/Ball material: Parts may have multiple material finish options. Finish options are separated by a vertical ruled line. Lead finish/Ball material values may wrap to two lines if the finish value exceeds the maximum column width.
- (5) MSL rating/Peak reflow: The moisture sensitivity level ratings and peak solder (reflow) temperatures. In the event that a part has multiple moisture sensitivity ratings, only the lowest level per JEDEC standards is shown. Refer to the shipping label for the actual reflow temperature that will be used to mount the part to the printed circuit board.
- (6) Part marking: There may be an additional marking, which relates to the logo, the lot trace code information, or the environmental category of the part.

Multiple part markings will be inside parentheses. Only one part marking contained in parentheses and separated by a "~" will appear on a part. If a line is indented then it is a continuation of the previous line and the two combined represent the entire part marking for that device.

Important Information and Disclaimer: The information provided on this page represents TI's knowledge and belief as of the date that it is provided. TI bases its knowledge and belief on information provided by third parties, and makes no representation or warranty as to the accuracy of such information. Efforts are underway to better integrate information from third parties. TI has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. TI and TI suppliers consider certain information to be proprietary, and thus CAS numbers and other limited information may not be available for release.

In no event shall TI's liability arising out of such information exceed the total purchase price of the TI part(s) at issue in this document sold by TI to Customer on an annual basis.