

TIDA-01485 REV E2 Bill of Materials

Designator	Quantity	Value	PartNumber	Manufacturer	Description	PackageReference
!PCB1	1		TIDA-01485	Any	Printed Circuit Board	
C3, C23, C24,	7	0.1uF	885012105016	Wurth Elektronik	CAP, CERM, 0.1 μF, 16 V, +/- 20%, X5R, 0402	0402
C33, C34, C35,						
C36						
C5	1	22uF	C3225X7R1C226K250AC	TDK	CAP, CERM, 22 µF, 16 V,+/- 10%, X7R, 1210	1210
C6	1	2.2uF	GRM32ER72A225KA35L	MuRata	CAP, CERM, 2.2uF, 100V, +/-10%, X7R, 1210	1210
C9	1	0.1uF	06035C104KAT2A	AVX	CAP, CERM, 0.1 μF, 50 V, +/- 10%, X7R, 0603	0603
C10	1	4.7uF	GRM21BC71H475KE11K	MuRata	CAP, CERM, 4.7 μF, 50 V,+/- 10%, X7S, 0805	0805
C11, C13	2	1uF	C1608X7R1C105K080AC	TDK	CAP, CERM, 1 µF, 16 V, +/- 10%, X7R, 0603	0603
C12	1	0.047uF	C1608X7S2A473K080AB	TDK	CAP, CERM, 0.047 µF, 100 V,+/- 10%, X7S, 0603	0603
C14, C15	2	390uF	UHW1H391MPD6	Nichicon	CAP ALUM 390UF 20% 50V RADIAL	10x22
C17	1	0.1uF	C3216X7R2A104K160AA	TDK	CAP, CERM, 0.1 µF, 100 V, +/- 10%, X7R, 1206	1206
C18, C19, C22	3	2.2uF	GRM32ER72A225KA35L	MuRata	CAP, CERM, 2.2 µF, 100 V, +/- 10%, X7R, 1210	1210
C26	1	0.47uF	C0805C474K4RACTU	Kemet	CAP, CERM, 0.47 µF, 16 V, +/- 10%, X7R, 0805	0805
C27, C29, C31	3	10uF	0805YD106MAT2A	AVX	CAP, CERM, 10uF, 16V, +/-20%, X5R, 0805	0805
C28, C30, C32	3	0.1uF	0603YC104JAT2A	AVX	CAP, CERM, 0.1 µF, 16 V, +/- 5%, X7R, 0603	0603
C37	1	2200pF	GRM155R71H222KA01D	MuRata	CAP, CERM, 2200 pF, 50 V, +/- 10%, X7R, 0402	0402
C38, C39, C40	3	1000pF	885012205061	Wurth Elektronik	CAP, CERM, 1000 pF, 50 V, +/- 10%, X7R, 0402	0402
C43, C44, C45	3	3300pF	CGA2B2X7R1H332K050BA	TDK	CAP, CERM, 3300 pF, 50 V, +/- 10%, X7R, AEC-Q200 Grade 1, 0402	0402
D1	1	58V	SMAJ58CA	Littelfuse	Diode, TVS, Bi, 58 V, SMA	SMA
D2	1	RED	150060RS75000	Wurth Elektronics Inc	LED RED CLEAR 0603 SMD	LED 0603
D3	1	YELLOW	150060YS75000	Wurth Elektronics Inc	LED YELLOW CLEAR 0603 SMD	LED_0603
D4	1	GREEN	150060GS75000	Wurth Elektronics Inc	LED, Green, SMD	LED_0603
D5	1	200V	ES2DA-13-F	Diodes Inc.	Diode, Superfast Rectifier, 200 V, 2 A, SMA	SMA
D6	1	60V	PMEG6010CEJ,115	NXP Semiconductor	Diode, Schottky, 60 V, 1 A, SOD-323F	SOD-323F
H1, H2	2	00 V	6003	Serpac	SHEET MTL SCREW FLAT PHH #2 1=1	SCREW FLAT PHH
			0003	Serpac	OTILL I WILL SOIL WILL ATTITUTE 1-1	#2 1=1
H3	1		904-27-2-23-2-B-0	Wakefield-Vette	HEATSINK 27X27X23MM PIN	HEATSINK
	'		904-27-2-23-2-6-0	vvakeneid-vette	INEXTSINK 21/221/23IVIIVI FIIN	27X27X23MM PIN
	1		A15727-00	Laird Technologies - Thermal	Thermal Conductive Dad	TPCM 5810
H4	1		A15727-00	Laird Technologies - Thermai	Thermal Conductive Pad	
14	4		000 40 002 40 004000	NAU NA	Header 400mil Ov4 TH	27mmx27mm
J1	1		800-10-003-10-001000	Mill-Max	Header, 100mil, 3x1, TH	Header, 3x1, 100mil,
10. 10			000 40 000 40 004000	DATE DA	Handan 400mil Ord TH	TH
J2, J6	2		800-10-002-10-001000	Mill-Max	Header, 100mil, 2x1, TH	Header, 2x1, 100mil,
10	4	DE004044	DECO (O.A.A.)	0.11:		TH
J3	1	PEC04SAA	PEC04SAAN	Sullins	Header, Male 4-pin, 100mil spacing,	0.100 inch x 4
14		N	200 10 005 10 001000	1.411.5.4		
J4	1		800-10-005-10-001000	Mill-Max	Header, 100mil, 5x1, TH	Header, 5x1, 100mil,
L1	1	120uH	SDR0302-121KL	Bourns	Inductor, Drum Core, Ferrite, 120uH, 0.22A, 3.2 ohm, SMD	3x2.5x2.8mm
R3	1	100k	ERJ-2GEJ104X	Panasonic	RES, 100 k, 1%, 0.063 W, 0402	0402
R4, R27, R29,	12	100	ERJ-2RKF1000X	Panasonic	RES, 100, 1%, 0.1 W, 0402	0402
R32, R34, R35,	'-				,,,	
R50, R51, R52,						
R53, R54, R55						
R13, R15	2	0.002	CRE2512-FZ-R002E-3	Bourns	RES, 0.002, 1%, 3 W, AEC-Q200 Grade 0, 2512	2512
R14	1	28.0k	CRCW040228K0FKED	Vishay-Dale	RES, 28.0 k, 1%, 0.063 W, 0402	0402
R20	1	8.45k	CRCW040228K0FKED	Vishay-Dale Vishay-Dale	RES, 8.45 k, 1%, 0.063 W, 0402	0402
R23	1	6.45K 2M	RC0603FR-072ML		RES SMD 2M OHM 1% 1/10W 0603	0603
NZJ		∠IVI	INCOUDSFR-U1ZIVIL	Yageo Page 1 of		0003

Designator	Quantity	Value	PartNumber	Manufacturer	Description	PackageReference
R24, R26, R56,	4	0	RC0402JR-070RL	Yageo	RES, 0, 5%, 0.063 W, 0402	0402
R57				_		
R31	1	150k	CRCW0402150KFKED	Vishay-Dale	RES, 150 k, 1%, 0.063 W, 0402	0402
R33, R36, R42,	4	10.0k	CRCW040210K0FKED	Vishay-Dale	RES, 10.0 k, 1%, 0.063 W, 0402	0402
R45						
R37	1	3.3	CRCW06033R30JNEA	Vishay-Dale	RES, 3.3, 5%, 0.1 W, 0603	0603
R38, R40, R41	3	1.0k	CRCW06031K00JNEA	Vishay-Dale	RES, 1.0 k, 5%, 0.1 W, 0603	0603
R43, R46	2	1.00Meg	ERJ-2RKF1004X	Panasonic	RES, 1.00 M, 1%, 0.1 W, 0402	0402
R44	1	47.5k	CRCW040247K5FKED	Vishay-Dale	RES, 47.5 k, 1%, 0.063 W, 0402	0402
R47, R48, R49	3	3.3k	CRCW04023K30JNED	Vishay-Dale	RES, 3.3 k, 5%, 0.063 W, 0402	0402
S1	1		434121025816	Wurth Elektronik	Switch, Tactile, SPST, 12 V, SMD	SMD, 6x3.9mm
U1, U2, U3	3		CSD88599Q5DC	Texas Instruments	60 V Half-Bridge NexFE Power Block, DMM0022A	DMM0022A
U8	1		DRV8323RSRGZR	Texas Instruments	60-V Three-Phase Smart Gate Driver, RGZ0048B	RGZ0048B
U9	1		MSP430F5132IRSBR	Texas Instruments	25 MHz Mixed Signal Microcontroller with 8 KB Flash, 1024 B SRAM and	RSB0040B
					29 GPIOs, -40 to 85 degC, 40-pin QFN (RSB), Green (RoHS & no Sb/Br)	
U10	1		LMT87QDCKRQ1	Texas Instruments	SC70 Analog Temperature Sensor with Class-AB Output, DCK0005A	DCK0005A
C25, C46, C47,	0	1000pF	885012205061	Wurth Elektronik	CAP, CERM, 1000 pF, 50 V, +/- 10%, X7R, 0402	0402
C48						
R17, R18	0	10.0	RMCF0402JT10R0	Stackpole Electronics	RES, 10.0, 1%, 0.063 W, 0402	0402
R25, R28, R30	0	100	ERJ-2RKF1000X	Panasonic	RES, 100, 1%, 0.1 W, 0402	0402

IMPORTANT NOTICE FOR TI DESIGN INFORMATION AND RESOURCES

Texas Instruments Incorporated ('TI") technical, application or other design advice, services or information, including, but not limited to, reference designs and materials relating to evaluation modules, (collectively, "TI Resources") are intended to assist designers who are developing applications that incorporate TI products; by downloading, accessing or using any particular TI Resource in any way, you (individually or, if you are acting on behalf of a company, your company) agree to use it solely for this purpose and subject to the terms of this Notice.

TI's provision of TI Resources does not expand or otherwise alter TI's applicable published warranties or warranty disclaimers for TI products, and no additional obligations or liabilities arise from TI providing such TI Resources. TI reserves the right to make corrections, enhancements, improvements and other changes to its TI Resources.

You understand and agree that you remain responsible for using your independent analysis, evaluation and judgment in designing your applications and that you have full and exclusive responsibility to assure the safety of your applications and compliance of your applications (and of all TI products used in or for your applications) with all applicable regulations, laws and other applicable requirements. You represent that, with respect to your applications, you have all the necessary expertise to create and implement safeguards that (1) anticipate dangerous consequences of failures, (2) monitor failures and their consequences, and (3) lessen the likelihood of failures that might cause harm and take appropriate actions. You agree that prior to using or distributing any applications that include TI products, you will thoroughly test such applications and the functionality of such TI products as used in such applications. TI has not conducted any testing other than that specifically described in the published documentation for a particular TI Resource.

You are authorized to use, copy and modify any individual TI Resource only in connection with the development of applications that include the TI product(s) identified in such TI Resource. NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER TI INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT OF TI OR ANY THIRD PARTY IS GRANTED HEREIN, including but not limited to any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information regarding or referencing third-party products or services does not constitute a license to use such products or services, or a warranty or endorsement thereof. Use of TI Resources may require a license from a third party under the patents or other intellectual property of TI.

TI RESOURCES ARE PROVIDED "AS IS" AND WITH ALL FAULTS. TI DISCLAIMS ALL OTHER WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, REGARDING TI RESOURCES OR USE THEREOF, INCLUDING BUT NOT LIMITED TO ACCURACY OR COMPLETENESS, TITLE, ANY EPIDEMIC FAILURE WARRANTY AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

TI SHALL NOT BE LIABLE FOR AND SHALL NOT DEFEND OR INDEMNIFY YOU AGAINST ANY CLAIM, INCLUDING BUT NOT LIMITED TO ANY INFRINGEMENT CLAIM THAT RELATES TO OR IS BASED ON ANY COMBINATION OF PRODUCTS EVEN IF DESCRIBED IN TI RESOURCES OR OTHERWISE. IN NO EVENT SHALL TI BE LIABLE FOR ANY ACTUAL, DIRECT, SPECIAL, COLLATERAL, INDIRECT, PUNITIVE, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES IN CONNECTION WITH OR ARISING OUT OF TI RESOURCES OR USE THEREOF, AND REGARDLESS OF WHETHER TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You agree to fully indemnify TI and its representatives against any damages, costs, losses, and/or liabilities arising out of your non-compliance with the terms and provisions of this Notice.

This Notice applies to TI Resources. Additional terms apply to the use and purchase of certain types of materials, TI products and services. These include; without limitation, TI's standard terms for semiconductor products http://www.ti.com/sc/docs/stdterms.htm), evaluation modules, and samples (http://www.ti.com/sc/docs/sampterms.htm).

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2017, Texas Instruments Incorporated